




Ar affer the field of the field The transfer and the transfer of

FIG. 2







The stand stand

S41

SET UP FILE RECEPTION

< S42

RECEIVE FILE

-S44

SET UP FILE TRANSMISSION

REQUEST USB FILE RECEPTION

S37₂[

TRANSMIT FILE TO TERMINAL BODY

RECEIVE FILE

S382

<.533 PERFORM OPERATION IN STB MODE (AS MASTER MODE) **S31** REQUEST USB FILE TRANSMISSION START TERMINAL BODY FIE RECORDING CAPACITY OK 2 **TRANSMIT** F/G. 6 S32 S34_>, YES RECORD FILE IN FLASH MEMORY **S32 EXTERNAL** RECORDING
POSITION

S36 √S36

INTERNAL

READ FILE FROM FLASH MEMORY

STB MODE TERMINAL OPERATION

COMPUTER

اح 898

S67

9

S65

DISPLAY MESSAGE

At appen the spice of A straight of the spice of the spic THE COUNTY WAS AND IN

END APPLICATION OR PERFORM STB TERMINAL OPERATION S66_> **S61** REQUEST USB VIDEO TRANSFER STOP CHANGEABLE TO DVC MODE CHANGE TO STB MODE YES 583 ST PERFORM DVC OPERATION TASK PERFORM USB CTL TRANSFER COMPUTER TRANSFER USB CTL FIG. 7 **S64** STB MODE AVAILABLE STB MODE REQUEST STB MODE UNAVAILABLE YES ENTER DVC MODE (UNDER CONTROL OF) (HOST THROUGH USB) S53 STOP TRANSFER OF USB PERFORM OPERATION IN STB MODE (AS MASTER MODE) VIDEO IN H-261 SYSTEM TERMINAL BODY CHANGEABLE TO DVC MODE 2 **S**52 S54≥**F** S51>

